PLACE ACQUIRED DATE OF SUPPLEMENT TO REPORT NO. 1. The Jelasmica coal mine is situated approximately one kilometer south of the main Nis-Bela lalanka road and east of the village of Jelasmica. The mine is commenced with the main single-track standard European gauge Nis-Bela Palanka real and line by a narrow-gauge railroad. The two lines meet at the Nisko Banja railroad station. The mine is also connected with the main single-track standard European gauge Nis-Bela Palanka real road by a secondary metalled road which runs through the village of Jelasmica. The place of the Nisko Banja railroad station. The mine is also connected with the Ban Nis-Bela Palanka road by a secondary metalled road which runs through the village of Jelasmica. The sine is administered by a director who is directly reponsible to the Ministry of Mines of the Serbian Republic. 2. The planned amuri production figures are as follows: 1919 - 100,000 ton 1920 - 100,000 ton The total output of coal for 1919 was 109,000 tons, per month. The entire output is transported by rail directly to the various factories at Nis, 3koplys, Leskova and Pirto. 3. Coal reserves: Tis coal reserves are divided into three categories, according to an official circular of Soviet origin, published and distributed by the Ministry of Mines in Belgrade. The categories, applicable to all mines in Depositation, are as follows: Category A-1: Deposits whose shape and size are accurately known and which are more or less accessible, but which have not been prepared for mining. Category B: De caits whose rough shape has been established through retarch and initial drillings. Category B: De caits whose rough shape has been established through retarch and initial drillings.			se 2008/06/25 : CIA-RDP82-0045 <mark>AL INTELLIGENCE AGENCY</mark>	REPORT	
PLACE COLUMN OF SUPPLEMENT TO REPORT NO. THIS IS UNEVALUATED INFORMATION THIS IS UNEVALUATED INFORMATION The palaemic could be recommended to the season of the season season of the		INFOR	MATION REPORT	CD NO.	مل
NO. OF PAGES 3 NO. OF ENGLS. GETTO PELLON. NO. OF ENGLS. GETTO PELLON. SUPPLEMENT TO REPORT NO. 1. The Jelasmica coal mine is situated approximately one kilometer south of the main Mis-Bela 'alanka road and east of the village of Jelasmica. The mine is common to with the main single-track standard European gauge Nis-Bela Palanka roadina in the by a marrow-gauge railroad. The two lines meet at the Nisk Banja railroad station. The mine is also connected with the main Mis-Bela 'alanka road and east of the village of Jelasmica. The mine is common to the mine is miles to the mine is also connected with the main Mis-Bela 'alanka' road by a secondary metalled road which runs through the village of Jelasmica. The mine is administered by a director also is directly rapponeible to the Ministry of Mines of the Serbian Republic. The Jelasmica annut production figures are as follows: 1919 - 100,000 to m 1950 - 100,000	OAHMTDV	Wigoslawia		DATE DISTR 18 DEC 50	25X1
The Jalasmica coal mine is situated approximately one kilometer south of the mein Nis-Bela lanks road and east of the village of Jalasmica. The mine is common to a warmous train in the mine is a considered with the mein Nis-Bela lanks road and east of the village of Jalasmica. The mine is connected with the mein single-track standard European gauge liks-Bela Palanks radiroad line by a marrow-gauge radiroad. The two lines meet at the like Banja entrow gauge radiroad. The mine is connected with the mein Nis-Bela Palanks radiroad the by a marrow-gauge radiroad. The two lines meet at the like Banja entrow gauge radiroad station. The mine is also connected with the mein Nis-Bela Palanka road by a secondary metalled road which runs through the village of plasmica. The mine is administered by a director radirectly ruponsible to the Ministry of Mines of the Serbian Republic. The planned annual production figures are as follows: 1919 - 100,000 tou 1950 - 10			410		23/(1
This is unevaluated according to the street of the village of Johannica. The Jelasmica communication and according to the street of the village of Johannica. The mine is connected with make according to the street of the village of Johannica. The mine is connected with make according to the street of the village of Johannica. The mine is connected with meaning single-track standard European gauge Rissella Ralanka radicand line by a marrow-gauge radicand. The two lines meet at the Riske Banja radio by a secondary metalled road with the main Missella Planka road by a secondary metalled road with the main Missella Planka. The mine is administered by a director the intrough the village of Jelasmica. The mine is administered by a director the intrough the village of Jelasmica. The mine is administered by a director the mine Missella Planka road by a secondary metalled road with runs through the village of Jelasmica. The mine is administered by a director the intrough the village of Jelasmica. The mine is administered by a director the Jelasmica of the Serbian Republic. The planned annuel production figures are as follows: 1919 - 100,000 tou 1950 - 100,000 tou The total output of coal for 1949 was 109,000 tons. The output of coal in January, Petrury and March of 1950 was 9,000 tons per month. The entire output is transported by rail directly to the various factories at Mis, skeplje, Leskovac and Pirot. Coal reserves: The coal reserves are divided into three categories, according to an official circular of Soviet origin, published and distributed by the Ministry of Mines in Belgrade. The categories, applicable to all mines in Ingoslavia, are as follows: Category A-2: Deposits which have been accurately surveyed and through preliminary workings are ready for mining. Category B: De ceits whose rough shape has been established through research and initial drillings. Desument No. 241	SUBJECT	Jerasnica Coar Mine	1900	NO. OF PAGES 3	25 X 1
This is unevaluated according to the main of the main Mis-Bela Planets and the main single-track standard European gauge Mis-Bela Planets represented the main single-track standard European gauge Mis-Bela Planets represented the main single-track standard European gauge Mis-Bela Planets represented with the main single-track standard European gauge Mis-Bela Planets represented with the main single-track standard European gauge Mis-Bela Planets represented with the main single-track standard European gauge Mis-Bela Planets represented with the main Mis-Bela Planets represented with the main Mis-Bela Planets represented with the main Mis-Bela Planets represented by a connected with the main Mis-Bela Planets represented by a condary materialed road which runs through the village of Jelamics. The mine is administered by a director republic. The planed annut production figures are as follows: 1919 - 100,000 to us 1950 - 100,000 to us		3	L. C. C. BARY	NO. OF ENCLS.	20711
This is unevalent services are according to a property of the main Nis-Bela lalanks road and east of the village of Jelasnica. 1. The Jelasnica coal mine is situated approximately one kilometer south of the main Nis-Bela lalanks road and east of the village of Jelasnica. The mine is commorted with the main single-track standard European gauge Nis-Bela Palanks rationed line by a narrow-gauge ratiroad. The two lines meet at the Nisks Banja railroad station. The mine is also connected with the main Mis-Bela Palanks road by a secondary metalled road which runs through the village of Jelasnica. The mine is administered by a director who is directly rhyponsible to the Ministry of Mines of the Serbian Republic. 2. The planned annual production figures are as follows: 19h9 - 100,000 to m 1950 - 100,0					25X1
1. The Jelasmica coal mine is situated approximately one kilometer south of the main Mis-Bela "alanka read and east of the village of Jelasmica. The mine is commerced with the main single-track standard European gauge Mis-Bela Falanka read and east of the village of Jelasmica. The mine is accommended with the main Mis-Bela Falanka read by a narrow-gauge realized. The two lines meet at the Misk Banja railroad station. The mine is also connected with the main Mis-Bela Falanka read by a secondary metalled road which runs through the village of selesmics. The mine is administered by a director who is directly reponsible to the Ministry of Mines of the Serbian Republic. 2. The planned annual production figures are as follows: 19h9 - 100,000 to m 1950 - 100,00	TO STORES	Contains information appetiting the nation J. De	FEMSE (LUT 96)		
1. The Jelasnica coal mine is situated approximately one kilometer south of the main Mis-Bela "alanka road and east of the village of Jelasnica. The mine is commanded with the main single-track standard European gauge Mis-Bela Palanka railroad line by a narrow-gauge railroad. The two lines meet at the Misk Banda railroad station. The mine is also connected with the main Mis-Bela Palanka road by a secondary metalled road which runs through the village of Jelasnica. The mine is administered by a director sho is directly reponsible to the Ministry of Mines of the Serbian Republic. 2. The planned annual production figures are as follows: 1949 - 100,000 to m 1950 - 100,000 to m 19	HINE MED BY BY	F. REPRODUCTION OF THIS FORM IS PROBLEMENT.	8	ALUATED INFORMATION	25X1
The mine is commerced with the main single-track standard European gauge Nis-Bela Falanka railroad line by a narrow-gauge railroad. The two lines meet at the Misk Banja railroad station. The mine is also connected with the main Nis-Bela Falanka road by a secondary metalled road which runs through the village of Jelanica. The mine is administered by a director the is directly reponsible to the Ministry of Mines of the Serbian Republic. The planned annual production figures are as follows: 19h9 - 100,000 top 1950 - 100,000 top The total output of coal for 19h9 was 109,000 tons. The output of coal in January, Februry and March of 1950 was 9,000 tons per month. The entire output is transported by rail directly to the various factories at Nis, Skoplje, Leskovac and Pirot. Coal reserves: The coal reserves are divided into three categories, according to an official circular of Soviet origin, published and distributed by the Ministry of Mines in Belgrade. The categories, applicable to all mines in Tugoslavia, are as follows: a. Category A, sub-divided into: Category A-1: Deposits which have been accurately surveyed and through preliminary workings are ready for mining. Category B: Deposits whose shape and size are accurately known and which are more or less accessible, but which have not been prepared for mining. Category B: Deposits whose shape has been established through research and initial drillings. CLASSIFICATION CLASSIFICATION Desument No. 2!!	<u>1950-19- verkenkun elektra</u>				
1919 - 100,000 ton The total output of coal for 1919 was 109,000 tons. The output of coal in January, February and March of 1950 was 9,000 tons per month. The entire output is transported by rail directly to the various factories at Nis, Skoplje, Leskovac and Pirot. 3. Coal reserves: The coal reserves are divided into three categories, according to an official circular of Soviet origin, published and distributed by the Ministry of Mines in Belgrade. The categories, applicable to all mines in Yugoslavia, are as follows: a. Category A, subdivided into: Category A-1: Deposits which have been accurately surveyed and through preliminary workings are ready for mining. Category A-2: Deposits whose shape and size are accurately known and which are more or less accessible, but which have not been prepared for mining. b. Category B: Deposits whose rough shape has been established through research and initial drillings. CLASSIFICATION CLASSIFICATION DISTRIBUTION Desument No. 299	1.	The main his-Bela aian The mine is commented with the Miske Banja the main Nis-Bela Palank through the village of who is directly response	ka road and east of the vilith the main single-track s ad line by a narrow-gauge r railroad station. The min ka road by a secondary meta Jelasnica. The mine is adm	lage of Jelasnica. tandard European gauge ailroad. The two lines e is also connected with lled road which runs	
The total output of coal for 19h9 was 109,000 tons. The output of coal in January, February and March of 1950 was 9,000 tons per month. The entire output is transported by rail directly to the various factories at Nis, Skoplje, Leskovac and Pirot. 3. Coal reserves: The coal reserves are divided into three categories, according to an official circular of Soviet origin, published and distributed by the Ministry of Mines in Belgrade. The categories, applicable to all mines in Yugoslavia, are as follows: a. Category A, sub-divided into: Category A-1: Deposits which have been accurately surveyed and through preliminary workings are ready for mining. Category A-2: Deposits whose shape and size are accurately known and which are more or less accessible, but which have not been prepared for mining. D. Category B: Deposits whose rough shape has been established through research and initial drillings. CLASSIFICATION OISTRIBUTION DESTRIBUTION Desument No. Q!/	2.	The planned annual produ	action figures are as follow	កន:	
In January, February and March of 1950 was 9,000 tons per month. The entire output is transported by rail directly to the various factories at Nis, Skoplje, Leskovac and Pirot. 3. Coal reserves: The coal reserves are divided into three categories, according to an official circular of Soviet origin, published and distributed by the Ministry of Mines in Belgrade. The categories, applicable to all mines in Yugoslavia, are as follows: a. Category A, su-divided into: Garegory A-1: Deposits which have been accurately surveyed and through preliminary workings are ready for mining. Category A-2: Deposits whose shape and size are accurately known and which are more or less accessible, but which have not been prepared for mining. b. Category B: Deposits whose rough shape has been established through restarch and initial drillings. CLASSIFICATION CLASSIFICATION DISTRIBUTION Decument No. Decument No. Decument No.		1949 - 100,000 to 10 1950 - 100,000 to 10			
according to an official circular of Soviet origin, published and distributed by the Ministry of Mines in Belgrade. The categories, applicable to all mines in Yugoslavia, are as follows: a. Category A, sur-divided into: Caregory A-1: Deposits which have been accurately surveyed and through preliminary workings are ready for mining. Category A-2: Deposits whose shape and size are accurately known and which are more or less accessible, but which have not been prepared for mining. b. Category B: Deposits whose rough shape has been established through restarch and initial drillings. CLASSIFICATION CLASSIFICATION SIMTE NARY NARY NARR DISTRIBUTION Decument No		output is transported by	d March of 1950 was 9,000 to 7 rail directly to the vario	me now month The andi-	
Calegory A-1: Deposits which have been accurately surveyed and through preliminary workings are ready for mining. Calegory A-2: Deposits whose shape and size are accurately known and which are more or less accessible, but which have not been prepared for mining. D. Category B: Deposits whose rough shape has been established through research and initial drillings. CLASSIFICATION CLASSIFICATION CLASSIFICATION STATE NAVY NSRB DISTRIBUTION Desument No. Desument No.	34	by the Ministry of Mines	circular of Soviet origin, in Belgrade. The categori	muhlished and distributed	
Category A-2: Deposits whose shape and size are accurately known and which are more or less accessible, but which have not been prepared for mining. D. Category B: Deposits whose rough shape has been established through research and initial drillings. CLASSIFICATION CLASSIFICATION STATE NAVY NSRB DISTRIBUTION Decement No. Q!		a. Category A, subdivi	ded into:		
known and which are more or less accessible, but which have not been prepared for mining. D. Category B: De osits whose rough shape has been established through research and initial drillings. CLASSIFICATION CLASSIFICATION STATE NARY NSRB DISTRIBUTION Deeument No.		Ca ogory	and through prelimin	been accurately surveyed ary workings are ready	
CLASSIFICATION CLASSI		Calegory	known and which are	more or less accessible.	
STATE NAVY NSRB DISTRIBUTION ARMY AIR FBI Decument No. 6!/	ST-CARLES	b. Category B: Dejosit re:carc	s whose rough shape has bee h and initial drillings.	n established through	
STATE NAVY NSRB DISTRIBUTION ARMY AIR FBI Decument No. 6!/	Ì	CLASSIFICATION	STENET/CONTROL - U.S. OF	FIGIALS ONLY	
Deeument NoQ!/	THE RESIDENCE CONTRACTOR OF THE PARTY OF THE	MAVY NSRB	DISTRIBUTION		
	• • • • • • • • • • • • • • • • • • •				
Ne Change In Class. ☐ 25X1		• .	į		5X1
Declassified		•	When the second	Declassified	
Class. Changed Te: TS S Auth.: HR 78-2		•	i i	-	

| Date: __5_JUL_B/B__ | Approved For Release 2008/06/25 : CIA-RDP82-00457R006400670011-0 =

CONTROL - U.S. OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY

- 2 a

25X1

c. Category C: Covers reserves estimated according to geological indications.

Quantities

- 2. Category A 600,000 tons, with: Ash content 21 percent Calories 4,200
- b. Category B 450,000 tons, with: Ash content 35 percent Calories 3,200

A. Factors limiting output:

- a. Inefficient management and technical supervision.
- b. Poor discipline among the employees.
- c. A fire which broke out in the mine at the end of 1949 damaged some of the workings and temporarily curtailed production. The decrease in output caused by the fire was investigated by officials of the Ministry of Mine in Belgrade during December 1949.
- 5. Developments: The following developments have been carried out since 1945:
 - a. A narrow-gauge railroad line connecting the main Mis-Bela Palanka railroad line has been constructed.
 - b. A new winding machine was installed at the mine in 1946.
 - 9. Two new oil burning mine locomotives were delivered to the mine in 1947.
 - d. A new directorate and houses in the workers' colony are being constructed. These constructions were started early in 1946 and additional houses are still being added.
- The power used at the mine is relayed from the grid which connects Nis with the Sweta Petka hydro-electric power station. Current, at 10,000 volts, is carried on steel pylons.

% Machinery and equipment:

a. The mine

- 1) One electrically operated winding machine.
- Four compressors with capacities from 6 to 12 cubic meters per minute.
- 3) Various centrifugal pumps, electrically operated.
- b) Two Jung oil burning locomotives.
- 5) One hundred and fifty mine cars, each of 500 kilogram capacity.
- 6) One electrically operated ventilator, with a capacity of 500 cubic meters per minute.

b. Mine railroad

- Three 10-ton steam locomotives, produced at the Djura Djakovic factory.
- 2) Twenty cars each of 7-ton capacity.
- Five passenger coaches.

Approved For Release 2008/06/25 : CIA-RDP82-00457R006400670011-0

CONFIDENTIAL - U.S. OFFICIALS ONLY

	CENTRAL INTELLIGENCE AGENCY	
	in 3 es	25X1
	c. Workshops: The mine has its own engineering, turning, welding and carpenter's shops.	
	d. Motor transport: The mine possesses two private cars and five trucks.	
3.	The total number of employees is approximately nine hundred. These are divided as follows:	
	Administrative staff : Approximately 60 Miners and surface workers : Approximately 600 Forced laborers : Approximately 300	
	The forced labor for the mine is provided from the Nis prison. The mine normally should work on three 8-hour shifts per day, six days a week, but each workers is forced to work 28 days per month. Sunday work is classed as voluntary. Living conditions at the mine are good and accommodation is guaranteed to all permanent employees. Miners receive their rations in accordance with the state ration quotas for heavy labor.	
9.	The mine is guarded by the Mine Militia, approximately fifteen men strong, who provide guards at the entrance to the mine, at the directorate, mine stores and explosives store.	
٥,	Personalities:	
	a. Ilija Ozegovic	25 X 1
	b. Danilo Miletic	in an
	c Nikola Orlio	